



Evacuation-route Navigation System with Non-linguistic Interfaces

Abe, Shinya^{1*}, Yamamoto, Kayoko²

Tokyo Metropolitan Industrial Technology Research Institute, Japan¹, The University of
Electro-Communications, Japan²

Abstract

Japan is a country prone to natural disasters such as earthquakes and typhoons. Japan has also seen a recent increase in the number of inbound foreign tourists, so it is increasingly important to communicate information to foreigners in the event of a disaster. However, language barriers remain an issue in disaster-time communications. Although there are existing multilingual systems for disaster-time communications, it is difficult to accommodate a large number of languages. Therefore, in this study, we develop a system that communicates evacuation routes and provides evacuation guidance without the use of language. The system is characterized by its ability to communicate evacuation routes through the use of only non-linguistic information, including geographic information, pictograms, and Arabic numerals. We conduct demonstration tests in areas affected by the Great East Japan Earthquake and demonstrate that the system can provide prompt evacuation guidance.

© 2022 The Authors. Published by Global Illuminators. This is an open access article under the CC BY-NC-ND license
(<http://creativecommons.org/licenses/by-nc-nd/4.0/>) Peer-review under responsibility of the Scientific & Review committee of ETAR-2022.

Keywords: Evacuation-route Navigation System, Non-linguistic Interface, Language-barrier-free, Response Performance

Introduction

Japan is a country prone to natural disasters such as earthquakes and typhoons. Japan has also seen a recent increase in the number of inbound foreign tourists, so it is increasingly important to communicate information to foreigners in the event of a disaster. (Aibiki et al., 2016; Hada, 2020).

However, language barriers remain an issue in disaster-time communications. Although there are existing multilingual systems for disaster-time communications, it is difficult to accommodate a large number of languages. Multilingualization cannot be comprehensive and is therefore inherently insufficient, so the use of pictorial information such as pictograms has been suggested. (Sato et al., 2020).

In a survey of foreigners living in Japan and tourists from abroad, significantly more respondents answered that visual methods of communication such as gestures and pictures are more effective in communicating information during a disaster compared with language. (Hasegawa & Mukai, 2022).

Therefore, in this study, we developed a navigation system that communicates evacuation routes and provides evacuation guidance without the use of language. The system is characterized by its ability to communicate evacuation routes through the use of only non-linguistic information, including geographic information, pictograms, and Arabic numerals. The base system was developed to provide information for foreign tourists. (Abe et al., 2019; Abe et al., 2021). In the present study, we modified the system to provide disaster-time evacuation guidance. In demonstration tests conducted in areas affected by the Great East Japan Earthquake, we found that the system could quickly guide evacuees to shelters.

Non-Linguistic Evacuation-Route Navigation System

This section describes the developed non-linguistic evacuation-route navigation system. The user interface for this system consists only of non-linguistic information such as pictograms, Arabic numerals, and images. Figure 1 shows the developed system, in which pictograms and images indicate evacuation sites and landmarks. Arabic numerals indicate travel times and distances. These are superimposed over geographic information to indicate evacuation routes.

*All correspondence related to this article should be directed Abe, Shinya, Tokyo Metropolitan Industrial Technology Research Institute, Japan Email: abe.shinya@iri-tokyo.jp

© 2022 The Authors. Published by Global Illuminators. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Peer-review under responsibility of the Scientific & Review committee of ETAR-2022.

The search Interface for evacuation sites is similarly non-linguistic. As Figure 2 shows, the search interface comprises buttons for selecting the means of transportation as a pictogram, and travel times can be selected as Arabic numerals from a drop-down menu.

However, we cannot recommend using the search interface in situations where the user's safety is not ensured, such as immediately after a disaster. In such situations, it is important that the user move quickly to a nearby evacuation site. The system thus also has functions for leading users to evacuation sites near their current location immediately after a disaster.

An algorithm based on a slime mold algorithm developed by the authors can be applied as the search method for evacuation routes. The authors have furthermore developed a method for conducting more precise searches by adding the disaster risk level as a new indicator. (Yoshitsugu et al., 2019; Yoshitsugu et al., 2020).



Fig 1: Non-linguistic Evacuation-route Navigation System
(Maps © 2021 Google LLC)




Fig 2: Non-linguistic Information Retrieval Interface

Evaluation of Response Performance

The navigation system overlays non-linguistic information such as pictograms and images onto a map, updating it as necessary to provide users with routes to nearby evacuation sites. Information acquisition time thus relies on response performance. In addition, non-linguistic information generally involves larger data sizes compared with linguistic information. Accordingly, non-linguistic evacuation-route navigation systems can thus be expected to have poorer response performance compared with linguistic systems.

Therefore, in this study, we evaluated the response performance of the developed navigation system, using the prototype shown in Figure 3 in experiments. This prototype is implemented for the Android operating system. We conducted those experiments along railroad lines in areas affected by the Great East Japan Earthquake. At each station, we measured the acquisition times for three-dimensional location (latitude, longitude, and elevation) of nearby evacuation sites and three-dimensional routes (paths and slopes) from the station to the evacuation site. We took 10 measurements at each location and used the slowest time as the measured value. These experimental conditions are the same as those we used in previous demonstrations. (Abe & Yamamoto, 2021; Abe & Yamamoto, 2022).

Table 1 shows the results of experiments at stations on the Sendai Airport Access Line, which was damaged in the Great East Japan Earthquake. We performed the experiments on 2 November 2020. The longest acquisition time for three-dimensional position information was 2.35 s, and the longest acquisition time of three-dimensional path information was 3.13 s.

Table 2 shows the results of experiments at stations on the JR Senseki Line, which was also damaged in the Great East Japan Earthquake. We performed the experiments from 2–4 December 2020. The longest acquisition time for three-dimensional position information was 2.59 s, and the longest acquisition time of three-dimensional path information was 3.77 s.

These results are equivalent to those in demonstration experiments of navigation systems we previously conducted. We thus find that the non-linguistic evacuation-route navigation system can quickly communicate evacuation routes and can be applied to evacuation guidance. Note that we measured no suspected outliers in the experiments whose results are shown in Tables 1 and 2.



Fig 3: Prototypes
(Maps © 2021 Google LLC)

Table 1:
Loading Time for Location Information and Route Information on the Sendai Airport Access Line

Stations	Location information (s)	Route information (s)
Sendai	1.72	2.20
Nagamachi	1.71	2.28
Taishido	1.66	2.22
Minami-Sendai	1.77	2.41
Natori	2.35	3.12
Morisekinoshita	2.34	3.13
Mitazono	2.19	3.06
Sendai Airport	1.76	2.83

Table 2:
Loading Time for Location Information and Route Information on the JR Senseki Line

Stations	Location information (s)	Routing information (s)
Aobadori	1.46	1.98
Sendai	1.48	2.01
Tsutsujigaoka	1.55	2.06
Miyaginohara	1.63	2.15
Rikuzen-Haranomachi	1.67	2.18
Nigatake	1.44	2.02
Kozurushinden	1.85	2.41
Fukudamachi	1.91	2.45
Rikuzen-Takasago	1.96	2.47
Nakanosakae	2.07	2.54
Tagajo	1.90	2.71
Geba	2.13	2.75
Nishi-Shiogama	2.14	2.77
Hon-Shiogama	2.06	2.85
Higashi-Shiogama	2.06	2.83
Rikuzen-Hamada	2.52	3.67
Matsushimakaigan	2.38	3.77
Takagimachi	2.39	3.74
Tetaru	2.43	3.35
Rikuzen-Tomiyama	2.59	3.38
Rikuzen-Otsuka	2.37	2.94
Tona	2.14	2.71
Nobiru	2.07	2.62
Rikuzen-Ono	2.29	2.93
Kazuma	2.22	2.95
Yamoto	1.79	2.88
Higashi-Yamoto	1.73	2.96
Rikuzen-Akai	1.85	2.90
Ishinomakiayumino	1.75	2.83
Hebita	1.57	2.75
Rikuzen-Yamashita	1.52	2.70
Ishinomaki	1.62	2.69

Conclusion

We described the development and evaluation of a non-linguistic navigation system for evacuation-route guidance. The system is characterized by its ability to communicate evacuation routes through the use of only non- linguistic information, including geographic information, pictograms, and Arabic numerals. We conducted demonstration tests in areas affected by the Great East Japan Earthquake, and the results demonstrated that the proposed system provides rapid evacuation

guidance. We will continue to perform demonstration experiments in areas affected by the Great East Japan Earthquake.

Acknowledgment

This work was supported by JSPS KAKENHI Grant Number JP19K20578.

References

- Abe, S., Yoshitsugu, N., Miki, D., & Yamamoto, K. (2019). An Information Retrieval System with LanguageBarrier-Free Interfaces. *Journal of the Information Systems Society of Japan*, 14(2), 57-64.
- Abe, S., Sasaki, R., & Yamamoto, K. (2021). Sightseeing Support System with Augmented Reality and No Language Barriers. Geertman, S., Pettit, C., Goodsped, R., & Kauppi, A. (eds.), *Lecture Notes in Urban Informatics for Future Cities*, Springer, 28-35.
- Abe, S., & Yamamoto, K. (2021). Evaluation of a Non-Linguistic Tourism Information System along the Shinkansen Lines. *Proceedings of Process & Project Engineering, Information Technology, Applied Sciences*, 3, 1-7.
- Abe, S., & Yamamoto, K. (2022). Evaluation of a Non-Linguistic Tourism Information System in Mountainous Areas. *Proceedings of the International Conference on Emerging Trends in Information Technology, Robotics, Design, Engineering and Applied Science*, 4, 1-9.
- Aibiki, R., Yoshizawa, N., Yamaguchi, K., Shimomura, T., Hikawa, T., Taki, Y., Yamazoe, M., & Kuriyama, A. (2016). Method of Providing Disaster Information to Foreign Tourists Visiting Japan. *Journal of Japan Society for Safety Engineering*, 55(3), 182-188.
- Hada, Y. (2020). Current Situation and Issues in Providing Disaster Information to International Visitors in Japan. *IATSS Review*, 45(1), 28-35.
- Hasegawa, Y., & Mukai, K. (2022). Report on Questionnaire Survey on Evacuation in Case of Disaster -Disaster Countermeasures in Company with Residents' Disaster Prevention Associations-. *Memoirs of the Faculty of Biology-Oriented Science and Technology of Kindai University*, (47), 19-33.
- Sato, K., Nangong, Z., & Okamoto, K. (2020). A Study on the Dissemination Way of Disaster Information to Foreign Tourists to Japan. *Treatises and Studies by the Faculty of Kinjo Gakuin University. Studies in Social Sciences*, 16(2), 112-122.
- Yoshitsugu, N., Abe, S., & Yamamoto, K. (2019). Derivation Method of Evacuation Routes Using Physarum Solver. *IPSJ Journal*, 60(12), 2325-2329.
- Yoshitsugu, N., Abe, S., & Yamamoto, K. (2020). Method for Deriving Evacuation Routes Considering Disaster Risk. *Journal of Information Processing*, 28, 1065-1072.